

HEM	DIMENSIONES EN mm								PARA EL EJE DE FLEXION								
	Design	h	b	S	t	r	F	G	U	X-X			Y-Y			S <sub>x</sub>	s <sub>x</sub>
										cm <sup>2</sup>	kg/m	m <sup>2</sup> /m	cm <sup>4</sup>	cm <sup>3</sup>	cm	cm <sup>4</sup>	cm <sup>3</sup>
HEM	HEM																
100	100	120	106	12	20	12	53.2	41.8	0.62	1140	190	4.63	399	75.3	2.74	118	9.69
120	120	140	126	12.5	21	12	66.4	52.1	0.74	2020	288	5.51	703	112	3.25	175	11.5
140	140	160	146	13	22	12	80.6	63.2	0.86	3290	411	6.39	1140	157.0	3.77	247	13.30
160	160	180	166	14	23	15	97.1	76.2	0.97	5100	566	7.25	1760	212	4.26	337	15.1
180	180	200	186	14.5	24	15	113.0	88.9	1.09	7480	748	8.13	2580	277.0	4.77	442	16.90
200	200	220	206	15	25	18	131.0	103.0	1.20	10640	967	9.00	3650	354	5.27	568	18.7
220	220	240	226	15.5	26	18	149.0	117.0	1.32	14600	1220	9.89	5010	444.0	5.79	710	20.60
240	240	270	248	18	32	21	200.0	157.0	1.46	24290	1800	11.00	8150	657	6.39	1060	22.9
260	260	290	268	18	32.5	24	220.0	172.0	1.57	31310	2160	11.90	10450	780.0	6.90	1260	24.80
280	280	310	288	18.5	33	24	240.0	189.0	1.69	39550	2550	12.80	13160	914	7.40	1480	26.7
300	300	340	310	21	39	27	303.0	238.0	1.83	59200	3480	14.00	19400	1,250.0	8.00	2040	29.00
320/305	320	320	305	16	29	27	225.0	177.0	1.78	40950	2560	13.50	13740	901	7.81	1460	28.0
320	320	359	309	21	40	27	312.0	245.0	1.87	68130	3800	14.80	19710	1,280.0	7.95	2220	30.70
340	340	377	309	21	40	27	316.0	248.0	1.90	76370	4050	15.60	19710	1280	7.90	2360	32.4
360	360	395	308	21	40	27	319.0	250.0	1.93	84870	4300	16.30	19520	1,270.0	7.83	2490	34.00
400	400	432	307	21	40	27	326.0	256.0	2.00	104100	4820	17.90	19340	1260	7.70	2790	37.4
450	450	478	307	21	40	27	335.0	263.0	2.10	131500	5500	19.80	19340	1,260.0	7.59	3170	41.50
500	500	524	306	21	40	27	344.0	270.0	2.18	161900	6180	21.70	19150	1250	7.46	3550	45.7
550	550	572	306	21	40	27	354.0	278.0	2.28	198000	6920	23.60	19160	1,250.0	7.35	3970	49.90
600	600	620	305	21	40	27	364.0	285.0	2.37	237400	7660	25.60	18980	1240	7.22	4390	54.1
650	650	668	305	21	40	27	374.0	293.0	2.47	281700	8430	27.50	18980	1,240.0	7.13	4830	58.30
700	700	716	304	21	40	27	383.0	301.0	2.56	329300	9200	29.30	18800	1240	7.01	5270	62.5
800	800	814	303	21	40	30	404.0	317.0	2.75	442600	10870	33.10	18630	1,230.0	6.79	6240	70.90
900	900	910	302	21	40	30	424.0	333.0	2.93	570400	12540	36.70	18450	1220	6.60	7220	79.0
1000	1000	1008	302	21	40	30	444.0	349.0	3.13	722300	14330	40.30	18460	1,220.0	6.45	8280	87.20